

Wetlands Bureau Decision Report

Revised by JTB
12/3/13

Decisions Taken
11/25/2013 to 12/01/2013

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2013-01771 NH DEPT OF TRANSPORTATION
BOW Bela Brook West Branch

Requested Action:

Replace superstructure, reface abutments with concrete and place 4 ft. of stone fill around the abutments and wingwalls to provide stabilization. NHDOT #26882

Conservation Commission/Staff Comments:

Cons . Comm. - no comment

APPROVE PERMIT:

Replace superstructure, reface abutments with concrete and place 4 ft. of stone fill around the abutments and wingwalls to provide stabilization. NHDOT #26882

With Conditions:

1. All work shall be in accordance with revised plans prepared by NHDOT, received by the Department of Environmental Services on November 25, 2013.
2. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
5. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.
6. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
7. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
8. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
9. Temporary cofferdams shall be entirely removed immediately following construction.
10. Construction equipment shall not be located within surface waters.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
12. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
14. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
15. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
16. There shall be no further alteration to wetlands or surface waters without amendment of this permit.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l) for projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. NHB identified endangered species in the vicinity of the proposed project.
6. NHB does not expect any impacts to the endangered species as long as the rip rap does not extend across the width of the stream and no plastic or other synthetic netted erosion control blankets are used.

2013-02943 CURLL, DANIEL
ALSTEAD Hale Brook

Requested Action:

Dredge and fill 160 square feet and temporarily impact 324 square feet of Hale Brook to replace the existing 36-inch culvert with a precast rigid frame 13-foot x 6-foot bridge.

APPROVE PERMIT:

Dredge and fill 160 square feet and temporarily impact 324 square feet of Hale Brook to replace the existing 36-inch culvert with a precast rigid frame 13-foot x 6-foot bridge.

With Conditions:

1. All work shall be in accordance with plans by WM Evans Engineering, LLC dated 11/18/13, as received by DES on November 19, 2013; and narrative dated November 26, 2013, as received by the Department on November 26, 2013.
2. Work shall be done during low flow conditions.
3. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. There shall be no excavation or operation of construction equipment in flowing water.
7. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of twenty (20) feet of undisturbed vegetated buffer.
9. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
10. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
11. Temporary cofferdams shall be entirely removed immediately following construction.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Materials used to emulate a natural channel bottom, between wingwalls and beyond must be rounded and smooth stones similar to the natural stream substrate and shall not include angular rip-rap or gravel.
14. The recreated stream channel bed must maintain the natural stream bed elevation.
15. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired prior to entering jurisdictional areas.

16. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
17. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
18. Banks shall be restored to their original grades and to a stable condition within three days of completion of construction.
19. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during access road construction and areas cleared of vegetation to be revegetated with native like species within three days of the completion of this project.
20. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
21. The applicant shall notify the DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.
22. A post-construction report documenting the status of the restored streambed and banks shall be submitted to the DES Wetlands Bureau within sixty (60) days of the completion of construction.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02 (p), Any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
2. An expedited review per SOP 201 was approved by the Commissioners office on 11/04/2013.
3. The stream crossing alternative design provides a bankfull width of 18 feet.
4. The stream crossing alternative design (Env-Wt 904.09) states that at the stream at the crossing a Rosgen stream type B.
5. The stream crossing alternative design drainage report memo indicates the proposed structure can accommodate the 100-year flood event.
6. The submitted Tier 3 replacement alternative design meets the General Design Criteria to the maximum extent practicable per Env-Wt 904.09.
7. The submitted Natural Heritage Bureau (NHB) report stated, "We currently have no recorded occurrences for sensitive species near this project area. A negative result (no record in our database) does not mean that a sensitive species is not present..."
8. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
9. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
10. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
11. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

FORESTRY NOTIFICATION

2013-02517 DANVILLE, TOWN OF
DANVILLE Unnamed Stream

COMPLETE NOTIFICATION:
Danville, Tax Map #1, Lot #52, 60, 66-147

2013-03067 TAFT, ALEXANDER
GREENVILLE Unnamed Stream

COMPLETE NOTIFICATION:
Greenville, Tax Map #3, Lot #1

2013-03176 NEMETZ, DAVID
CONCORD Unnamed Stream

COMPLETE NOTIFICATION:
Concord, Tax Map #120, Lot #4, Block #3, Unit #4

2013-03182 COMERFORD, EDWARD
MIDDLETON

COMPLETE NOTIFICATION:
Middleton, Tax Map # 9, Lot # 20

2013-03183 WOODS FAMILY REVOCABLE TRUST
BATH Unnamed Stream

COMPLETE NOTIFICATION:
Bath, Tax Map #15, Lot #7

2013-03186 HOLT, STEVEN
LYNDEBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Lyndeborough, Tax Map #6, Lot #8

2013-03196 SOCIETY FOR THE PROTECTION OF NH FORESTS
ROXBURY Unnamed Stream

COMPLETE NOTIFICATION:
Roxbury, Tax Map #9, Lot #64 & 67

2013-03198 MEADOWSEND TIMBERLANDS LTD
WEARE Unnamed Stream

COMPLETE NOTIFICATION:
Weare, Tax Map #410, Lot #8

2013-03199 GOSS, CLAYTON
ENFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Enfield, Tax Map #6, Lot #5.1, 6, 7

2013-03200 REED, DANIEL/ELEANOR
MARLOW Unnamed Stream

COMPLETE NOTIFICATION:
Marlow, Tax Map #408, Lot #21

2013-03208 TULLY, JAMES
OSSIPEE Unnamed Stream

COMPLETE NOTIFICATION:
Ossipee, Tax Map #239, Lot #5

2013-03209 MACKENNA, JOHN
SUTTON Unnamed Stream

COMPLETE NOTIFICATION:
Sutton, Tax Map #7, Lot #568, Block #31, Unit #7

2013-03210 BAYROOT LLC
DIXVILLE Unnamed Stream

COMPLETE NOTIFICATION:
Dixville, Tax Map #1626, Lot #9

2013-03213 ELAINE E ZAGANE REVOCABLE TRUST
HEBRON Unnamed Stream

COMPLETE NOTIFICATION:
Hebron, Tax Map #18, Lot #30, BL 00HH04 & 00HH05

2013-03214 EASTER, DIANE
LANDAFF Unnamed Stream

COMPLETE NOTIFICATION:
Landaff, Tax Map #6, Lot #34

2013-03215 LAUER, WILLIAM
LYMAN Unnamed Stream

COMPLETE NOTIFICATION:
Lyman, Tax Map #208, Lot #1

2013-03216 SHEEHAN, JOHN
HEBRON Unnamed Wetland

COMPLETE NOTIFICATION:

Hebron, Tax Map # 18, Lot # 25 & 31

EXPEDITED MINIMUM

2008-02419 MOUNTAIN VIEW YACHT CLUB INC
GILFORD Lake Winnepesaukee

Requested Action:

Request permit time extension.

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE TIME EXTENSION:

Repair and maintain a major docking facility as depicted on plans by Steven Smith, dated July 29, 2008, on Lake Winnepesaukee, in Gilford.

With Conditions:

1. All work shall be in accordance with plans by Steven Smith Associates dated July 29, 2008, as received by DES on November 10, 2008.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
4. The repairs shall maintain the size, location and configuration of the pre-existing structures.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. This permit does not allow for any dredge of the boatslips or marina area.
7. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
10. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
11. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, per RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland after July 1, 2008.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA

482-A:3, XIV-a, and Env-Wt 502.01.

2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2013-02940 PERKINS, GEORGE
GOFFSTOWN Unnamed Pond

Requested Action:

Dredge and fill 300 sq. ft. in a palustrine forested wetland to construct driveway/culvert crossing to access a residential building lot.

Conservation Commission/Staff Comments:

Goffstown Conservation Commission signed off on application.

APPROVE PERMIT:

Dredge and fill 300 sq. ft. in a palustrine forested wetland to construct driveway/culvert crossing to access a residential building lot.

With Conditions:

1. All work shall be in accordance with plans by Todd Land Use Consultants, LLC dated August 20, 2013, as received by the NH Department of Environmental Services (DES) on October 28, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-02961 MANZI, JANICE/PHILIP
RYE Atlantic Ocean

Requested Action:

Impact a total of 4,356 sq. ft. (2,961 sf permanent & 1,395 sf temporary construction impacts) within the previously developed upland tidal buffer zone to demolish the existing building and build a new house. Existing impervious patio & walkway will be replaced with pervious pavers.

Conservation Commission/Staff Comments:

11/1/13 Per DHR, no historic properties affected.

Rye Conservation Commission signed off on the application.

APPROVE PERMIT:

Impact a total of 4,356 sq. ft. (2,961 sf permanent & 1,395 sf temporary construction impacts) within the previously developed upland tidal buffer zone to demolish the existing building and build a new house. Existing impervious patio & walkway will be replaced with pervious pavers.

With Conditions:

1. All work shall be in accordance with plans by MSC Civil Engineers & Land Surveyors, Inc. dated September 6, 2013, as received by the NH Department of Environmental Services (DES) on October 29, 2013.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. DES Wetlands Bureau Southeast Region staff and the Rye Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-02986

MILLS, ERNEST/LISA

LOUDON Unnamed Stream

Requested Action:

Dredge and fill 500 sq. ft. of palustrine wetlands to construct a driveway/culvert crossing of an intermittent stream to access a residential building site.

Conservation Commission/Staff Comments:

Loudon Conservation Commission signed off on application.

APPROVE PERMIT:

Dredge and fill 500 sq. ft. of palustrine wetlands to construct a driveway/culvert crossing of an intermittent stream to access a residential building site.

With Conditions:

1. All work shall be in accordance with plans by RJB Engineering, LLC dated September 20, 2013, as received by the NH Department of Environmental Services (DES) on October 31, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

PERMIT BY NOTIFICATION

2013-02966 NH DEPARTMENT OF TRANSPORTATION BRISTOL Pike Brook

Requested Action:

Install cofferdams and repair cracked abutments to bridge over Pike Brook, Bristol. NHDOT #28355.

PBN IS COMPLETE:

Install cofferdams and repair cracked abutments to bridge over Pike Brook, Bristol. NHDOT #28355.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(l), Temporary cofferdams and other water control devices constructed in flowing water or adjacent to dams in conjunction with the repair or maintenance of existing structures.

2013-02967 NH DEPARTMENT OF TRANSPORTATION RANDOLPH Moose River

Requested Action:

Install cofferdams to repair the center line of the deck and the center line of the abutments. Place temporary scaffolding in the river to provide access. Moose River, Randolph. NHDOT #28334

PBN IS COMPLETE:

Install cofferdams to repair the center line of the deck and the center line of the abutments. Place temporary scaffolding in the river to provide access. Moose River, Randolph. NHDOT #28334

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(l), Temporary cofferdams and other water control devices constructed in flowing water or adjacent to dams in conjunction with the repair or maintenance of existing structures.

2013-02968 NH DEPARTMENT OF TRANSPORTATION SUNAPEE Sugar River

Requested Action:

West concrete curb and rail will be replaced. Downstream west wingwall will be repaired. Install temporary scaffolding in Sugar River, Sunapee. NHDOT #26843

PBN IS COMPLETE:

West concrete curb and rail will be replaced. Downstream west wingwall will be repaired. Install temporary scaffolding in Sugar River, Sunapee. NHDOT #26843

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(l), Temporary cofferdams and other water control devices constructed in flowing water or adjacent to dams in conjunction with the repair or maintenance of existing structures.

2013-02969 NH DEPARTMENT OF TRANSPORTATION
BRISTOL Newfound River

Requested Action:

Install temporary cofferdams to patch the deck & bridge superstructure & repair the spalled concrete abutments over Newfound River, Bristol. Temporary scaffolding will be placed in the river. NHDOT #28354

PBN IS COMPLETE:

Install temporary cofferdams to patch the deck & bridge superstructure & repair the spalled concrete abutments over Newfound River, Bristol. Temporary scaffolding will be placed in the river. NHDOT #28354

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(l), Temporary cofferdams and other water control devices constructed in flowing water or adjacent to dams in conjunction with the repair or maintenance of existing structures.

2013-03064 WILDWOOD CONDO, JOHN HEISE
GILFORD Lake Winnepesaukee

Requested Action:

Repair of existing 8 ft. x 53 ft. pile supported docking structures with no change in size, location or configuration in accordance with plans dated November 06, 2013.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Repair of existing 8 ft. x 53 ft. pile supported docking structures with no change in size, location or configuration in accordance with plans dated November 06, 2013.

2013-03171 MCGRATH REVOC TRUST 1999, EVELYN
SUNAPEE Sunapee Lake

Requested Action:

Replace in-kind rail system for the MV Mt. Sunapee.

PBN IS COMPLETE:

Replace in-kind rail system for the MV Mt. Sunapee.

2013-03172 TWOMEY, MONIQUE
LACONIA Lake Winnepesaukee

Requested Action:

Repair of existing 6 ft. x 50 ft. docking structures with no change in size, location or configuration in accordance with plans dated October 20, 2013.

PBN IS COMPLETE:

Repair of existing 6 ft. x 50 ft. docking structures with no change in size, location or configuration in accordance with plans dated October 20, 2013.

2013-03185 BOISVERT, TRACY
SANBORNTON Winnisquam Lake

Requested Action:

Repair or replacement of existing retaining wall that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration, Lake Winnisquam.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Repair or replacement of existing retaining wall that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration, Lake Winnisquam.

2013-03187 BANOS LLC
NELSON Silver Lake

Requested Action:

Construct a 300 sq. ft. perched beach on Silver Lake, Nelson.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN DISQUALIFIED:

Construct a 300 sq. ft. perched beach on Silver Lake, Nelson.

With Findings:

Constructing a perched beach is not a PBN type of project pursuant to Env-Wt 506.01.

CSPA PERMIT

2008-02640 SDK LANDHOLDINGS LLC
PELHAM Beaver Brook

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Impact 24,692 sq ft for the purpose of constructing a single family dwelling with a deck, a swimming pool, a driveway and installing a septic system.

With Conditions:

1. All work shall be in accordance with plans by Edward N. Herbert Assoc. Inc. dated December 29, 2008 and received by the Department of Environmental Services ("DES") on December 30, 2008.
2. This permit is contingent upon the Applicant maintaining compliance with individual sewage disposal system permit CA2002040496 as per RSA 485-A:29.
3. This permit is contingent on subdivision approval SA2001002597 as per RSA 485-A:29.
4. Orange construction fencing shall be placed at the limits of construction.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. No more than 13.4 % of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
7. The project as proposed will leave approximately 17,532 sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 17,240 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
8. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
9. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
10. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
11. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
12. Any fill used shall be clean sand, gravel, rock, or other suitable material.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

2013-02097 LAKES EDGE CONDOMINIUM ASSOC
TILTON Lake Winnisquam

With Conditions:

1. Structures on this property shall be maintained as shown on the as-built plans by Bruce McCracken dated October 31, 2013 and received by Department of Environmental Services (DES) on November 4, 2013.
2. All future activities on this property shall be conducted in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner shall be responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

2013-02935 HOLSIPPLE, ARTHUR/TAMMY
KINGSTON Powwow Pond

Requested Action:

Impact 360 sq ft in order to add an addition to the existing structure.

APPROVE PERMIT:

Impact 360 sq ft in order to add an addition to the existing structure.

With Conditions:

1. All work shall be in accordance with plans by Atlantic Survey CO, LLC dated October 2, 2013 and received by the NH Department of Environmental Services (DES) on October 25, 2013.
2. No more than 7.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 5,250 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02958 SKI HEARTH FARM LLC
SUGAR HILL Gale River

Requested Action:

Impact 17,295 sq ft in order to construct a gravel access and parking for a farm stand.

APPROVE PERMIT:

Impact 17,295 sq ft in order to construct a gravel access and parking for a farm stand.

With Conditions:

1. All work shall be in accordance with plans by Thomas S. Smith dated August 2013 and received by the NH Department of Environmental Services (DES) on October 29, 2013.
2. No more than 7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02960 THE THOMAS E GERSON LIVING TRUST
CONWAY Conway Lake

Requested Action:

Impact 14,215 sq ft in order to construct an additional residential unit.

APPROVE PERMIT:

Impact 14,215 sq ft in order to construct an additional residential unit.

With Conditions:

1. All work shall be in accordance with plans by Briggs Land Surveying dated October 1, 2013 and received by the NH Department of Environmental Services (DES) on October 29, 2013.
2. No more than 16.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 9,764 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02970 ALISON W SCOTT TRUST
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 7,660 sq ft in order to remove existing structure and rebuild a new structure further from the reference line with a new septic system and expanded driveway.

APPROVE PERMIT:

Impact 7,660 sq ft in order to remove existing structure and rebuild a new structure further from the reference line with a new septic system and expanded driveway.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated October 23, 2013 and received by the NH Department of Environmental Services (DES) on October 30, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,925 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02972 HUGH & JUDITH CHAPIN REVOCABLE TRUSTS
NEW LONDON Pleasant Lake

Requested Action:

Impact 800 sq ft in order to re-vegetate an area that was previously disturbed.

APPROVE PERMIT:

Impact 800 sq ft in order to re-vegetate an area that was previously disturbed.

With Conditions:

1. All work shall be in accordance with plans by Pierre J. Bedard dated October 28, 2013 and received by the NH Department of Environmental Services (DES) on October 30, 2013.
2. No more than 16.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 4,264 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02974 JOHNSON, SCOTT/VIRGINIA
GILFORD Lake Winnepesaukee

Requested Action:

Impact 12,555 sq ft in order to remove an existing residence and rebuild a new residence, further from the reference line, with a detached garage, new septic system, and walkways.

APPROVE PERMIT:

Impact 12,555 sq ft in order to remove an existing residence and rebuild a new residence, further from the reference line, with a detached garage, new septic system, and walkways.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated October 22, 2013 and received by the NH Department of Environmental Services (DES) on October 30, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 28.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,286 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02976

FINN, CYNTHIA/PAUL

WINDHAM Cobbetts Pond

Requested Action:

Impact 3,658 sq ft in order to raze existing home, construct new dwelling, septic system and well with other site improvements.

APPROVE PERMIT:

Impact 3,658 sq ft in order to raze existing home, construct new dwelling, septic system and well with other site improvements.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering, Inc. dated September 12, 2013 and received by the NH Department of Environmental Services (DES) on October 30, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 30% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02978 CORBIN, PATRICK/SANDRA
WINDHAM Cobbett's Pond

Requested Action:

Impact 1,576 sq ft in order to construct a garage addition to an existing structure, install a new septic system, and minor site grading work.

APPROVE PERMIT:

Impact 1,576 sq ft in order to construct a garage addition to an existing structure, install a new septic system, and minor site grading work.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering, Inc. dated September 25, 2013 and received by the NH Department of Environmental Services (DES) on October 30, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 40.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02985 DOLLARHIDE, GREGORY/KRISTINA
WOLFEBORO Rust Pond

Requested Action:

Impact 20,105 sq ft in order to remove an existing dwelling; construct a new dwelling, gravel drive and patio; install an Individual Sewage Disposal System; install water service line.

APPROVE PERMIT:

Impact 20,105 sq ft in order to remove an existing dwelling; construct a new dwelling, gravel drive and patio; install an Individual Sewage Disposal System; install water service line.

With Conditions:

1. All work shall be in accordance with plans by David M. Dolan Associates, PC dated October 16, 2013 and received by the NH Department of Environmental Services (DES) on October 31, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,350 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with

applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03001 COOLEY, PAMELA
NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 5,108 sq ft in order to construct a new garage/workshop, remove a portion of the driveway, re-grade and add landscape features.

APPROVE PERMIT:

Impact 5,108 sq ft in order to construct a new garage/workshop, remove a portion of the driveway, re-grade and add landscape features.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated October 29, 2013 and received by the NH Department of Environmental Services (DES) on November 4, 2013.
2. No more than 22.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03002 CARRISON, CHRISTOPHER
PELHAM Long Pond

Requested Action:

Impact 2,310 sq ft in order to construct a garage.

APPROVE PERMIT:

Impact 2,310 sq ft in order to construct a garage.

With Conditions:

1. All work shall be in accordance with plans by Patriot Land Surveying, LLC dated October 21, 2013 and received by the NH Department of Environmental Services (DES) on November 4, 2013.
2. No more than 19.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 1,725 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in

order to comply with RSA 483-B:9, V, (b), (2).

4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-03005 BROWN, SUSAN
ENFIELD Mascoma River

Requested Action:

Impact 1,620 sq ft in order to construct an attached garage to the existing structure.

APPROVE PERMIT:

Impact 1,620 sq ft in order to construct an attached garage to the existing structure.

With Conditions:

1. All work shall be in accordance with plans by John Renfrew dated October 31, 2013 and received by the NH Department of Environmental Services (DES) on November 4, 2013.
2. No more than 8.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

CSPA PERMIT W/WAIVER

2008-00694 PAPIA, JAMES
HAMPSTEAD Sunset Lake

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Replace a nonconforming structure with a nonconforming structure and install a septic system on property with approximately 173 ft

of frontage on Sunset Lake in Hampsted.

WAIVER APPROVED: RSA 483-B:9, II is waived to allow construction of a primary structure within the primary building setback.

With Conditions:

1. All work shall be in accordance with revised building plans by V.W. Dingman & Sons dated November 8, 2008 and received by the Department of Environmental Services ("DES") on November 25, 2008 and revised landscaping plans by Jim Papia dated November 7, 2008 and received by DES on November 25, 2008.
2. This approval includes a wavier of the minimum standard set forth in RSA 483-B:9,II(b). This permit shall not be effective until it has been recorded with the appropriate Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. No more than 18.64% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The project as proposed will leave approximately 2,250 sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 2,175 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. An initial vegetation monitoring report shall be submitted to DES by July 30, 2010 to review the success of the plantings and schedule remedial actions if necessary. This report shall be submitted to DES with photographs demonstrating the condition of the plantings, include any necessary remedial actions, and contain a schedule for completing the remedial actions. The report shall reference the Shoreland Permit number and be sent to the DES Wetlands Bureau, 29 Hazen Drive, Concord, NH 03302.
6. Proposed plantings shall have a 100% survival success rate upon post construction inspection from DES or the areas shall be replanted until the 100% success rate is achieved.
7. The proposed "Eco Stone" brand pervious pavers shall be installed and maintained in accordance with the manufacturers specifications.
8. The proposed pervious pavers shall be sufficient to provide effective stormwater infiltration.
9. This permit is contingent on an approved wetlands permit for impacts proposed within wetlands jurisdiction.
10. This permit is contingent on approval by the DES Subsurface Systems Bureau.
11. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
12. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
13. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
14. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
15. Any fill used shall be clean sand, gravel, rock, or other suitable material.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

FORESTRY W/PRIME WETLAND

2013-02009

MCNAMARA, KEVIN/MELANIE

HAMPTON FALLS Unnamed Stream

Requested Action:

Complete Forestry Notification and Prime Wetland Waiver Approval, Hampton Falls, Tax Map 6, Lot 12

COMPLETE NOTIFICATION:

Complete Forestry Notification and Prime Wetland Waiver Approval, Hampton Falls, Tax Map 6, Lot 12

With Conditions:

1. You follow the "Best Management Practices for Erosion Control on Timber Harvesting Operations in New Hampshire" published in 2004 by the NH Dept. of Resources & Economic Development (also available on the Internet at: www.nhdf.org/library/pdf/Publications/BMPs%20erosion%20control%202004.pdf); and
2. You are cutting timber for forest management purposes ONLY and not for current or future development.
3. You are avoiding wetlands and stream crossings where possible and all crossings are located to minimize wetland impacts.
4. You are avoiding rutting in forested wetlands, timber mats may be needed to prevent rutting. If rutting does occur they shall be smoothed out and stabilized before completion of the harvest.
5. The placement of fill, construction of structures, or storage of vehicles or hazardous materials is prohibited within the prime wetland and prime wetland buffer.
6. This authorization is valid through November 26, 2015.
7. A copy of this letter and the enclosed Confirmation of Complete Forestry Notification (printed on Tyvek) shall be posted in a secure manner in a prominent location at the site of the harvest.

With Findings:

1. The department has determined there will be no significant net loss of wetland values as identified in RSA 482-A:11, IV, subparagraph (b)(1)(C) and RSA 482-A:1.